

2023 12

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Na ₂ O	Mt	DT
50mm		4800kcal kg	18% 38%	2.5 %	2.0 %	8%	1350
		4600kcal kg	15% 40%	4.0 %	2.0 %	---	---

1.

5

3000

2.

2023 12 14 10

< 1 10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13 %

4.

10

5.

3

6.

10

7.

10

8.

90% 110%

90%

110%

0.002 / .

0.002 /

9.

0.02 / .

10.

<p>Qnet. ar 4800 St. d 2.5% 18% Vdaf 38% Na₂O 2.0% 0. xxx /</p>	<p>Qnet. ar <4800 Kcal / Qnet. ar 100 0.005 / 100 38%<Vdaf 40% Vdaf 0.002 / Vdaf 40% 1 0.005 / 8000 < 12000 8000 0.02 / >12000 12000 0.03</p>	<p>1. 2. 5%<St. d 3. 0% St. d 0.1 2. 3. 0%<St. d 3. 5% St. d 0.1 3. St. d>3. 5% St. d 0.1 5</p>	<p>1. 2. 0%<Na₂O 3. 5% 0.1 2. 3. 5%<Na₂O 4. 5% 0.1 3. Na₂O>4. 5% 0.1 20 0.1</p>	<p>1 2 5 0.1 10 20 0.1</p>	<p>90-110% 80% <90% -0.002 / 70% <80% 60% -0.004 / <70% -0.006 / 50% <60% -0.008 / 40% <50% -0.010 / <40% -0.020 /</p>
<p>ar 4800</p>	<p>4.0% Vdaf 40% 2.0%</p>	<p>Qnet. ar 4800 Kcal / St. d 2.5% 18% Vdaf 38% Na₂O 2.0%</p>	<p>Vdaf <15% Vdaf 40% Vdaf <15% 20 /</p>	<p>2.0% 20 /</p>	<p>%)</p>
<p>1. 2. 3. 4. 5. 6.</p>	<p>3000</p>	<p>Qnet. ar 4800 Kcal / St. d 2.5% 18% Vdaf 38% Na₂O 2.0%</p>	<p>18% Vdaf %</p>	<p>2.5% 4800</p>	<p>2.0%</p>

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.

3000

Qnet. ar 4800 Kcal / St. d 2.5% 18% Vdaf 38% Na₂O 2.0%

0 1 1 10

0 0- 0 0 0- 0